
Effective: 22/05/2014

## D-01-103-10

## **KODAK MAX Alkaline Battery KC**





Dimensions are in millimeters and include label.

**Chemical system**: Alkaline, MnO<sub>2</sub> / KOH / Zn

**Designations**: IEC LR14, ANSI 14A

Nominal Voltage: 1.5V

Nominal Capacity: 8400 mAh at 39 Ohms to 0.8 Volts

**Internal Impedance**: 0.10 Ohms (typically)

Average Weight: 70.0 g

Average Volume: 26.6 cm<sup>3</sup>

**Recommended storage temperature:**  $10 - 25 \, ^{\circ}\text{C}$ 

**Operating temperatures**: -20 – 54 °C

**Reaction:**  $2 \text{ MnO}_2 + \text{Zn} + \text{H}_2\text{O} \rightarrow 2 \text{ MnOOH} + \text{ZnO}$ 

**Terminals:** Flat contacts, protruding negative

Jacket: Plastic label

## Note:

- 1) No added Mercury / 99.9999% Mercury Free
- 2) No added Lead /99.999% Lead Free
- 3) No added Cadmium / 99.9999% Cadmium Free
- 4) No added PFOS (Perfluorooctane sulfonates)
- 5) This battery complies with ANSI C18, IEC 60086, and EU Directive 2006/66/EC, 2006/122/EC
- 6) Batteries are NOT subject to European RoHS regulations.
- 7) Primary Batteries (non-Rechargeable) are not subject to China RoHS regulations.
- 8) MSDS sheets are available on request from Strand Europe Ltd.

